PREMIER®

MANUAL DE INSTRUCCIONES
SOPORTE PARA TV LCD/LED EXTRA-DELGADO (17"-37")
WM-4838



ESTIMADO CLIENTE
Con el fin de que obtenga el mayor desempeño de su producto, por favor lea este manual de instrucciones cuidadosamente antes de comenzar a utilizarlo, y guárdelo para su futura referencia.
Si necesita soporte adicional, no dude en escribir a: ***info@premiermundo.com***



PRECAUCIÓN

RIESGO DE CHOQUE ELÉCTRICO , NO ABRA

Precaución: Para reducir el riesgo de choque eléctrico, no retire la cubierta, no hay partes manipulables por el usuario al interior de la unidad. Refiera todo mantenimiento o intervención técnica a personal técnico calificado.

Este símbolo indica la existencia de voltaje peligroso al interior de esta unidad, que constituye un riesgo de choque eléctrico.

Este símbolo indica que hay importantes instrucciones de operación y mantenimiento en la literatura que acompaña a esta unidad.

LÍNEAS DE SERVICIO AL CLIENTE PREMIER

Venezuela:	0800 – ELECTRIC (353-2874)
Panamá:	300-5185
Sitio Web:	www.premiermundo.com
E-mail:	servicioalcliente@premiermundo.com

NOTA

Nos reservamos el derecho de modificar las especificaciones, características y/u operación de esta unidad sin previo aviso, con el fin de continuar las mejoras y desarrollo del mismo.

INSTRUCCIONES DE SEGURIDAD

Lea este manual de instrucciones antes de iniciar el montaje e instalación.

- No exceda el peso de carga máximo soportado por esta unidad.
- Esta unidad fue diseñada para ser instalada y utilizada solo como se especifica en este manual de instrucciones. Una instalación inadecuada de la unidad puede causar serios daños ó accidentes.
- El soporte debe ser instalado preferiblemente por una persona con habilidades mecánicas y experiencia en instalación.
- Asegúrese que la superficie donde hará el montaje puede soportar el peso combinado del equipo y todos los componentes.
- Si se hace el montaje en una pared de madera, asegúrese que los chazos son puestos correctamente en el centro de las vigas. Se recomienda el uso de un buscador electrónico de vigas.
- Utilice la ayuda de una persona para levantar los equipos de manera segura.
- Apriete los tornillos con firmeza pero nos los sobre-apriete ya que puede llegar a romper las partes.
- Este producto está diseñado para uso en el hogar. No lo utilice en exteriores.

INSTRUCCIONES DE INSTALACIÓN

PIEZAS

NOTA: Asegúrese de que todas las piezas estén completas antes de comenzar. Si detecta cualquier falla póngase en contacto con el fabricante.

Placa para pared (x1)
A



Soporte adaptador izquierdo
B



Soporte adaptador derecho
C

Paquete M

M4X14 (X4)
M-A

M5X14 (X4)
M-B

M6X14 (X4)
M-C

M8X20 (X4)
M-D

Arandela D5 (X4)
M-E

Arandela D8 (X4)
M-F

Separador Pequeño (X8)
M-G

Paquete W

ST6.3X55 (X3)
W-A



Perno para Concreto (X3)
W-B

Arandela D6 (X3)
W-C

MONTAJE EN PARED DE MADERA





Marque la ubicación exacta de los agujeros de instalación

Taladre agujeros guía



Atornille la placa de pared en los agujeros

⚠ IMPORTANTE

- Asegúrese de que los chazos son puestos correctamente en el centro de las vigas. Se recomienda el uso de un buscador electrónico de vigas.
- Los instaladores son los responsable de suministrar el hardware para otros tipos de montajes.
- Asegúrese que la superficie donde hará el montaje puede de hecho soportar el peso combinado del equipo y todos los componentes.

MONTAJE EN PARED DE CONCRETO O LADRILLO





Marque la ubicación exacta de los agujeros de instalación



Taladre agujeros guía





Atornille la placa de pared en los agujeros

⚠ IMPORTANTE

- Al instalar en paredes de bloque de hormigón, verifique que el grosor actual del concreto es de al menos 1-3/8” (35mm) para usar los chazos para concreto. No taladre en las uniones de mortero. Asegúrese de hacer el montaje en una parte sólida del bloque, generalmente 1” mínimo del lado del bloque. Se sugiere utilizar taladro eléctrico en velocidad baja en lugar de martillo para evitar romper la parte posterior del orificio al entrar en una abertura o cavidad.
- El instalador debe verificar que la superficie donde hará el montaje puede de hecho soportar el peso combinado del equipo y todos los componentes.

INSTALAR LOS SOPORTES ADAPTADORES



Parte superior del TV

Patallas con parte posterior plana



Pantalla con ranuras en la parte posterior ó acceso a entradas A/V



Nota:

- Elija los tornillos, arandelas y espaciadores apropiados (De ser necesario) de acuerdo al tipo de pantalla.
- Coloque los soportes adaptadores tan cerca como sea posible del centro del televisor
- Atornille los soportes adaptadores en el televisor.

No sobreapriete los tornillos ya que se pueden quebrar algunas partes.

COLGAR EL TELEVISOR EN LA PLACA PARA PARED



Apriete los dos pernos usando un destornillador Phillips apropiado para asegurar el soporte.

AJUSTE



Afloje la perilla de ajuste para inclinar el soporte al ángulo deseado luego apriétela.

MANTENIMIENTO

- Una vez esté colocado el televisor en el soporte verifique que todo esté seguro y firme.
- Revise los tornillos al menos cada 2 meses.
- Si tiene cualquier duda sobre la instalación, póngase en contacto con el fabricante.

PREMIER®

INSTALLATION INSTRUCTIONS

Super Slim LCD/LED TV Bracket (17"-37")

WM-4838



CAUTION: **DO NOT EXCEED MAXIMUM LISTED WEIGHT CAPACITY. SERIOUS INJURY OR PROPERTY DAMAGE MAY OCCUR!**

75x75/100x100
200x100/200x200

37" MAX

50kg (110lbs) MAX

DEAR CUSTOMER

Congratulations for your purchase!
Please read this manual carefully, and keep it for future reference.
If you need extra support, please write to ***info@premiermundo.com***


CAUTION
RISK OF ELECTRIC SHOCK, DO NOT OPEN
Caution: To reduce the risk of electric shock do not open this device, there are not serviceable parts for costumers. Please refer any maintenance or repair to qualified personnel.
This sign means the existence of dangerous voltage at the inside of the unit, which states a risk of electric shock.
This sign means that there are important instructions of operation and handling in the manual that comes with this device.

PREMIER CUSTOMER SERVICE

Venezuela:	0800 −ELECTRIC (353-2874)
Panama:	300-5185
Website	www.premiermundo.com
E-mail:	servicioalcliente@premiermundo.com

NOTE
This unit may be submitted to changes in specifications, characteristics and/or operation without prior notice to the user, in order to continue improving and developing its technology.

NOTE: Read the entire instruction manual before you start installation and assembly.

⚠ WARNING

- Do not begin the installation until you have read and understood the instructions and warnings contained in this installation sheet. If you have any questions regarding any of the instruction or warning, please contact your local distributor.
- This mounting bracket was designed to be installed and utilized ONLY as specified in this manual. Improper installation of this product may cause damage or serious injury.
- This product should only be installed by someone of good mechanical ability, with basic building experiences and fully understanding of this manual.
- Make sure that the supporting surface will safely support the combined load of the equipment and all attached hardware and components.
- If mounting to wood wall studs, make sure that mounting screws are anchored into the center of the studs. Use of a stud finder is highly recommended.
- Always use an assistant or mechanical lifting equipment to safely lift and position equipment.
- Tighten screws firmly, but do not over tighten. Over tightening can damage the items, greatly reducing their holding power.
- This product intended for indoor use only. Using this product outdoors could lead to product failure and personal injury.

Component Checklist

IMPORTANT: Ensure that you have received all parts according to the component checklist prior to installing. If any parts are missing or faulty, telephone your local distributor for a replacement.



wall plate (x1)
A



left adapter bracket (x1)
B



right adapter bracket (x1)
C

Package M

M4x14 (x4)
M-A

M5x14 (x4)
M-B

M6x14 (x4)
M-C

M8x20 (x4)
M-D

D5 washer (x4)
M-E

D8 washer (x4)
M-F

small spacer (x8)
M-G

Package W

ST6.3x55 (x3)
W-A



concrete anchor (x3)
W-B

D6 washer (x3)
W-C

1a. Mount on Wood Stud Wall









Find and mark the exact location of mounting holes

Drill pilot holes







Screw the wall plate onto the wall

⚠ WARNING

- Make sure that mounting screws are anchored into the center of the studs. Use of a stud finder is highly recommended.
- Installers are responsible to provide hardware for other types of mounting situations.
- Installers must verify that the supporting surface will safely support the combined load of the equipment and all attached hardware and components.

1b. Mount on Solid Brick and Concrete Block





Mark the exact location of mounting holes





Drill pilot holes







Screw the wall plate onto the wall

⚠ WARNING

- When installing wall mounts on cinder block, verify the actual concrete thickness is at least 1-3/8" (35mm) for using the concrete anchors. Do not drill into mortar joints! Be sure to mount in a solid part of the block, generally 1" (25mm) minimum from the side of the block. It is suggested electric drill on slow setting is used to drill the hole instead of a hammer drill to avoid breaking out the back of the hole when entering a void or cavity.

- Installers must verify that the supporting surface will safely support the combined load of the equipment and all attached hardware and components.

2. Install Adapter Brackets



2-1. For Flat Back Screen



2-2. For Recessed Back Screen or to Access A/V Inputs



Note: Choose appropriate screws, washers and spacers (if necessary) according to the type of screen.
- Position the adapter brackets as close as possible to the middle of the TV.
- Screw the adapter brackets onto the TV.

Tighten all screws but do not over tighten.

3. Hang TV onto the Wall Plate





Tighten the two bolts by using a proper phillips screwdriver to secure bracket.

4. Adjustment



Loose the adjusting knobs to tilt desired angle then tighten them.

Maintenance

- Check that the bracket is secure and safe to use at regular intervals(at least every three months).
- Please contact your dealer if you have any questions.